

नोटिस - 03/2025


विषय : सुरक्षित एवं संरक्षित ट्रेन संचालन हेतु विशेष सावधानिया ।

संदर्भ : दिनांक 04.04.2025 को CRB संग DRM मीटिंग के संबंध में ।

उपरोक्त विषय के अनुसार, DRM/DLI के निर्देशानुसार सुरक्षित एवं संरक्षित ट्रेन संचालन हेतु निम्न निर्देश दिए जा रहे हैं जिसका अनुपालन करना समस्त चालक दल के लिए अनिवार्य है:

1. सभी लॉबी पर speed gun की उपलब्धता सुनिश्चित की जानी चाहिए । लॉबी पर उपलब्ध speed gun को किसी भी मुख्य लोको निरीक्षक के द्वारा issue करवाकर लोको/ट्रेन की स्पीड सम्बंधित अम्बुश चेक किया जाना चाहिए व अपनी रिपोर्ट को नियमित आधार पर **CLI MOVEMENT REPORTING** नामक whatsapp group पर भेजी जानी चाहिए ।
2. लोडिंग/अनलोडिंग के दौरान रखी जाने वाली सावधानिया के लिए डिवीज़न द्वारा दिनांक 03.04.2025 को जारी RSO सेफ्टी अभियान संख्या 09/2025 का अनुपालन करना चाहिए । (प्रतिलिपि संलग्न )
3. गाड़ी संचालन के दौरान आग से बचाव हेतु दिनांक 16.05.2024 को डिवीज़न द्वारा जारी RSO सेफ्टी अभियान संख्या 18/2024 का अनुपालन करना चाहिए । (प्रतिलिपि संलग्न )

उपरोक्त के सम्बन्ध में, सभी मुख्य लोको निरीक्षक को यह निर्देश दिए जाते हैं कि अपने मनोनीत/गैर-मनोनीत रनिंग स्टाफ को उपरोक्त सभी मदों पर काउंसिल करें व अम्बुश करें तथा अपनी रिपोर्ट को मंडल कार्यालय में दिनांक 08.05.25 को प्रस्तुत करें ।

  
 वरिष्ठ मण्डल विद्युत अभियंता/परिचालन

प्रतिलिपि :-

- मण्डल रेल प्रबंधक/मण्डल कार्यालय/नई दिल्ली/उत्तर रेलवे-सूचनार्थ ।
- मुख्य विद्युत अभियंता/परिचालन/उत्तर रेलवे, बड़ौदा हाऊस, नई दिल्ली – सूचनार्थ ।
- मुख्य विद्युत लोको अभियंता/उत्तर रेलवे, बड़ौदा हाऊस, नई दिल्ली – सूचनार्थ ।
- अपर मण्डल रेल प्रबंधक/परिचालन/नई दिल्ली/उत्तर रेलवे-सूचनार्थ ।
- मण्डल राजभाषा अधिकारी/मण्डल कार्यालय/नई दिल्ली/उत्तर रेलवे-सूचनार्थ ।
- प्रधानाचार्य/प्रशिक्षण केन्द्र – गाजियाबाद/तुगलकाबाद ।
- मुख्य कर्षण नियंत्रक/दिल्ली/ उ.रे. – उचित कार्यवाही हेतु ।
- समस्त मुख्य लोको निरीक्षक/दिल्ली मण्डल – आवश्यक कार्यवाही हेतु ।
- समस्त लोको लॉबी नोटिस बोर्ड- आवश्यक कार्यवाही हेतु ।
- बेसिक प्रशिक्षण केन्द्र/तुगलकाबाद/उत्तर रेलवे-आवश्यक कार्यवाही हेतु ।



उत्तर रेलवे

कार्यालय वरि.म.वि.अभि./परि./दिल्ली

Email: srdeersodli@gmail.com

No. 230/Elect/RSO/Safety Drive/2025

मण्डल रेल प्रबंधक कार्यालय  
स्टेट एंटी रोड, उत्तर रेलवे, नई दिल्ली  
दिनांक: 03.04.2025

सभी मुख्य लोको निरीक्षक,

समस्त वरिष्ठ चालक दल नियंत्रक/ लॉबी,

जाखल, जींद, रोहतक, शकूरबस्ती, दिल्ली सराय रोहिल्ला, दिल्ली, आनंद विहार, नया खुर्जा  
गाजियाबाद, मेरठशहर, पानीपत, नई दिल्ली, हजरत निजामुद्दीन, तुगलकाबाद, पलवल, गढ़ी हरसरु

संरक्षा अभियान-RSO SD-09/2025

विषय: लोडिंग और अनलोडिंग के दौरान सावधानियों पर 15 दिन के लिए चलने वाला विशेष सुरक्षा अभियान।  
संदर्भ: रेलवे बोर्ड पत्र संख्या: 2025/संरक्षा-1/3/4 दिनांक 28.03.2025.


Dy. CSO पत्र संख्या: 81-T/SD/07/2025/SAFETY दिनांक 01.04.2025.

Sr. DSO पत्र संख्या: 10-T/SD/12/2024/Safety दिनांक 02.04.2025.

उपरोक्त संदर्भित पत्रों के माध्यम से, दिनांक 03.04.25 से 15 दिन के लिए एक विशेष सुरक्षा अभियान शुरू किया जा रहा है, जिसमें सभी चालक दल के द्वारा लोडिंग/अनलोडिंग के समय निम्न पहलुओं पर विशेष ध्यान देना अनिवार्य है:

1. लोडिंग/अनलोडिंग के बाद, सभी वैगनों के दरवाजे बंद होने की सुनिश्चितता करनी चाहिए।
2. लोडेड एवं अनलोडेड Ballast rake को मूव करने से पहले ट्रैक क्लीयरेंस की सुनिश्चितता करनी चाहिए।

अतः सभी लोको निरीक्षक द्वारा तुरंत प्रभाव से 15 दिनों के लिए एक संरक्षा अभियान दिनांक 03.04.25 से 17.04.25 तक चलाया जाए एवं अपने सभी नामित/गैर-नामित रनिंग कर्मचारियों को उक्त मदों पर काउन्सिल करें। अभियान के तहत सभी लोको निरीक्षक दिल्ली मंडल के सभी लोडिंग/अनलोडिंग पॉइंट्स को कवर करते हुए अम्बुश चेक करें व अभियान की रिपोर्ट को संग्रहित फॉर्मेट में दिनांक 18.04.25 को मंडल कार्यालय में अविलम्ब प्रस्तुत करें ताकि यह आगे प्रधान कार्यालय में प्रस्तुत की जा सके।

  
वरिष्ठ मण्डल विद्युत अभियन्ता/परिचालन/दिल्ली

प्रतिलिपि:

- PS to DRM for kind information of DRM please.
- CEE/OP/NR - For kind information please.
- ADRM/OP - For kind information please.
- Sr.DSO/DLI - For kind information please.
- DEE/RSO/DLI & ADEE/RSO/DLI - for necessary action.
- Principal ETC/GZB ,Principal DTC/TKD - for necessary action.
- CLI/BTC/TKD ,CTC/NDLS Control - for necessary action.



Northern Railway

Office of Sr. DEE/RSO/DLI  
Email: srdeersodli@gmail.com

Divisional Railway Manager Office  
State Entry Road, New Delhi

No. 230/Elect/RSO/Safety Drive/2024

Dated: 16.05.2024

All Sr. CCs & CLIs  
JHL, JIND, ROK, SSB, DEE, DLI, ANVT,  
GZB, MTC, PNP, NDLS, HNKM, TKD, PWL

RSO SD-18/2024

Sub: Portable Fire Extinguishers used in Indian Railway.

Ref: (i). CELE Letter No. 147-Elect/TRS/6/2 dated 15.05.24

(ii). Secy, to PCEE/NR note no. 111-Elect/5006/2023/safety dated 13.05.2024

(iii). Dy. CSO/Elect. L. No. 81-T/SD/11/2024/Safety dated 09.05.2024


(iv). RB's L. NO. 2023/Safety9DM/13/ dated 06.05.2024

(v). RB's L. No. 76/M/c/137/31Vol.V dated 25.04.2024

In reference to above, a safety drive is to be launched immediately for 14 days in which the running staffs (LP, LPS & ALP) are to be counseled about the correct method of use of such fire extinguishers, so that they can be utilized effectively when required and necessary footplates/inspections/checks are to be carried out to ensure compliance of these instructions.

All Sr.CCs & CLIs are advised to launch a safety drive for period 16.05.2024 to 29.05.2024 & submit the complete report of drive in the attached annexure to this office without any delay on date 30.05.2024 or send it in CLI Reports WhatsApp group, so that HQ & Safety branch can be informed in this regard timely.

DA: As above

  
Sr. DEE/RSO/DLI  
16/5/24

Copy to: For kind information please.

- PS to DRM for kind information of DRM please.
- CELE/NR, CRSE/Fr./NR, NDBH.
- ADRM/OP.
- Sr. DSO/DLI.
- Principal ETC/GZB, Principal DTC/TKD, Principal RSTC/ Shakurbasti.
- CLI/BTC/TKD, CTC/NDLS Control

**Northern Railway**

Headquarters Office,  
Baroda House,  
New Delhi- 110001.  
Dated: 15.05.2024

No.147-Elect/TRS/8/2

Sr. Divnl. Elect. Engineer/ R80,  
Northern Railway,  
D.R.M. Office,  
NDLS, LKO, MB & UMB,

Sr. Divnl. Mech. Engineer/ O&F,  
Northern Railway  
D.R.M. Office  
FZR,

**Sub: Portable Fire Extinguishers used in Indian Railway. (Dy.CSO/Elect/SD no. 11/24)**

- Ref:** (i) Secy. to PCEE/NR note no. 111-Elect/5008/2023/safety dated 13.05.2024  
(ii) Dy. CSO/Elect. L. No. 81-T/SD/11/2024/Safety dated 09.05.2024  
(iii) RB's L. NO. 2023/Safety9DM/13/ dated 06.05.2024  
(iv) RB's L. No. 78/M/c/137/31Vol.V dated 25.04.2024

Vide letter under ref. (iv) above, Railway Board has issued certain directives for procurement, in-service testing and replacement, system for traceability and inspection/audit of maintenance processes of portable fire extinguisher used in coaching stock of Indian Railways.

As per RB's letter under ref.(iii) above, similar action needs to be taken by all divisions for all other portable fire extinguishers, whether provided/installed in locomotives, other railway vehicles, railway stations, running rooms, fuel installations, depots, workshops, production units, office premises, hospitals, etc.

In reference to above, a safety drive is to be launched immediately for 15 days in which the running staffs (LP, LPS & ALP) are to be counseled about the correct method of use of such fire extinguishers, so that they can be utilized effectively when required and necessary footplates/inspections/checks are to be carried out to ensure compliance of these instructions.

Divisional officers are to involve themselves in the drive & effective follow up action to be taken on all the deficiencies & irregularities noticed. The outcome of the drive, bringing out systematic deficiencies and action plan with time line to be sent to this office latest by 30.05.2024 in the format attached as annexure.

DA: As above

  
(Deepak Grewal)  
Chief Electrical Loco Engineer

Copy to:

- 1) PCEE/NR: for kind information please
- 2) PCSO/NR: for kind information please

प्र.मु.वि.अभि.  
PCEE

NORTHERN RAILWAY

Headquarters Office  
Baroda House  
New Delhi

No. 81-T/SD/11/2024/Safety

Dated 09.05.2024

Divisional Railway Manager,  
Northern Railway,  
DLI, FZR, UMB, MB & LKO.

राष्ट्रिय / प्र.मु.वि.अभि.  
Secy/PCEE

Safety drive No.-11/RB/2024


Sub: Portable Fire Extinguishers used in Indian Railway.  
Ref: (i) Railway Board's Letter No. 2023/Safety(DM)/13/1 Dated: 06.05.2024.  
(ii) Railway Board's Letter No. 76/M/C/137/31 Vol. V Dated: 25.04.2024.

Certain directives have been issued by Railway Board vide the letter under reference above, regarding procurement, in - service testing and replacement, system for traceability, and inspection/audit of maintenance processes of portable fire extinguishers used in coaching stock of Indian Railways.

Similar action needs to be taken for all other portable fire extinguishers, whether provided/installed in locomotive, other railway vehicles, railway stations, running rooms, fuel installations, depots, workshops, production units, office premises, hospitals, etc.


It should also be ensured that railway personnel are familiar with correct method of using these fire extinguishers so that they can be utilized effectively when required.

In view of above, a Safety drive has been launched for 15 days w.e.f 10.05.2024 to 24.05.2024. at the end of the Drive the deficiencies/irregularities noticed should be given along with the action taken/plan along with the target dates. The report is to be sent to this office in hard copies as well as soft copies by 27.05.2024 for onward submission to Railway Board.

  
(Swadesh Rai)  
Dy. CSO/Elect./HQ  
(For Principal Chief Safety Officer)

Copy to:

1. Secy. to GM for kind information of OM.
2. Secy. to AGM for kind information of AGM.
3. PCEE, PCE, PCME, PCSTE & PCOM for information and necessary action please.
4. All Sr. DSO's



2023/Safety(DM)/13/1

1/3094904/2024

भारत सरकार GOVERNMENT OF INDIA  
रेल मंत्रालय MINISTRY OF RAILWAYS  
(रेलवे बोर्ड RAILWAY BOARD)

No. 2023-Safety(DM)/13/1

New Delhi, dated 06-05-2024

The General Managers,  
All Zonal Railways and Production Units

CMDs,  
KRCL,  
DFCCIL.

Sub: Portable Fire Extinguishers used in Indian Railways  
Ref: Railway Board's letter no. 76/M(C)/137/31 Vol. V dated 25.04.2024

Certain directives have been issued by Railway Board vide the letter under reference above, regarding procurement, in-service testing and replacement, system for traceability, and inspection/ audit of maintenance processes of portable fire extinguishers used in coaching stock of Indian Railways.

Similar action needs to be taken for all other portable fire extinguishers, whether provided installed in locomotives, other railway vehicles, railway stations, running rooms, fuel installations, depots, workshops, production units, office premises, hospitals, etc.

It should also be ensured that railway personnel are familiar with the correct method of using these fire extinguishers so that they can be utilized effectively when required.

It is requested that Railway Board be kept apprised of the action taken in this regard.

3 May  
06-05-24  
(Utkarsh)  
ED/NE/Safety

Copy to:  
PCSOs All Zonal Railways  
CSOs All PUs, KRCL, DFCC

Copy for kind information and necessary action to:  
Sr PPs to MI, MOUD, MTR  
Secretary, Railway Board

No.76/M(CY)137/31 Vol. V

New Delhi, Dated 25.04.2024

General Managers  
All Zonal Railways

**Sub: Portable Fire Extinguishers used in coaching stock**

1. The procurement of Fire Extinguishers (FE) used in coaching stock is being done as per the following specifications:
  - 4 kg Portable stored pressure type Fire Extinguisher (DCP) with Anti-theft arrangement as per MDS 46270 (with pass document IS:15683/2018)
  - 6 kg Portable cartridge type Fire Extinguisher (DCP) to IS:15683/2018
2. Following to be ensured:
  - 2.1. Procurement:
    - 2.1.1. It should be ensured that the inspection of Fire Extinguishers procured by ZRs is in line with the IS specification and in all cases inspection should be done by Third Party.
  - 2.2. In-Service Testing and Replacement:
    - 2.2.1. Maintenance of Fire extinguishers is to be done as per IS: 2190/2010.
    - 2.2.2. ZR to ensure that inspection is done as per guidelines stipulated in this IS specification. It be ensured that along with other parameters test certificates should cover hydraulic pressure testing which is prescribed in Para No. 12.2.1 of IS:2190/2010
    - 2.2.3. Necessary records should be checked by various units so as to ensure that proper inspection certificate is available for each Fire Extinguisher.
    - 2.2.4. While inspection of these FE will be done at periodicity as prescribed, ZRs are directed to immediately inspect all FE in line with Para 11.10.3 of this specification which provides "Guidelines for the Evaluation of Damage and Corrosion" so as to weed out bad FE from the system, even before these are sent for testing.
    - 2.2.5. As a one-time measure, hydraulic testing need to be done on priority, and ZRs may procure additional quantities for maintaining sufficient quantities for train operation.
    - 2.2.6. Clause 12.2.1 of IS 2190/2010 refers to life prescribed for these FE which need to be meticulously followed.
3. A fail-safe system of traceability of FE need to set-up, and use QR code/RFID tag may also be explored by ZR.
4. Each division should depute officers to agency who are undertaking such testing so as to confirm the inspection of these FE as per prescribed IS, Protocol of inspection by railway officials and audit of maintenance processes in-house or outsourced needs to be strengthened and laid down by ZRs.

Pranjal  
Mishra

Digitally signed by  
Pranjal Mishra  
Date: 2024.04.25  
20:10:33 +05'30'

(प्रानजल मिश्रा)

संयुक्त निदेशक/पात्रिक इंजी. (कोचिंग)-II  
रेलवे बोर्ड

Copy to:

PCMEs/All Zonal Railways- for kind information and necessary action please